



Dangerous Wind Chills

Decision Support Briefing #6 As of: 5:30 AM February 1, 2019



What Has Changed?

No changes at this time.

















Main Points

Hazard	Impacts	Location	Timing
Life-threatening Wind Chills	Frostbite can occur quickly and even hypothermia or death if precautions are not taken.	Eastern Catskills	Through this morning
Dangerous Wind Chills	Frostbite and hypothermia can occur if precautions are not taken	Southern Adirondacks, Lake George Saratoga region, Mohawk Valley, Schoharie Valley, northern/central Taconics, Berkshires, Litchfield Hills & most of southern Vermont	Through this morning






















Coldest Wind Chill







Timing & Impacts:

- Dangerous wind chills through this morning
- ✓ Frostbite and hypothermia can occur if precautions are not taken

Graphic Created February 1st, 2019 5:20 AM EST

Weather Forecast Office









Coldest Wind Chill

National Weather Service

Less than -60F

-60F to -55F

-55F to -50F

-50F to -45F

-45F to -40F

-40F to -35F

-35F to -30F

-30F to -25F

-25F to -20F

-20F to -15F

-15F to -10F

-10F to -5F

-5F to 0F

0F to 5F

5F to 10F

10F to 15F

15F to 20F


20F to 25F

Graph25Erto=30F

30F1to 35F10

35F to 40F

Greater than 40F













Event Summary

Dangerous Wind Chills...

- ✓ Period of greatest impact
 - Dangerous Wind Chills: Through this Morning. Wind chill values will improve for this afternoon.



Dangerous wind chills Increased risk for frostbite & hypothermia















Contact and Next Briefing Information



This is the last briefing.







Disclaimer: The information contained within this briefing is time-sensitive, do not use after 6 PM Friday, February 1, 2019

